



Complex conductor configurations – No problem

Hybrid cables with complex conductor configurations, large diameters and differing materials are no problem for the new K106 range. Combinations of copper, aluminium, shield-braided, insulation from cross-linked polyethylenes or also with integrated conduits from special plastics are cleanly and professionally cut with ease.*



Item no.	K 106/1	K 106/2
Cutting range	34 mm, 380 mm ²	62 mm, 500 mm ²
Conductor classes	2 + 5	2 + 5
Weight	400 g	600 g

* Not suitable for cutting steel or steel wire

Klauke®

Gustav Klauke GmbH


Auf dem Knapp 46 | 42855 Remscheid | Germany

Phone: +49 (0)2191 907-0

Fax: +49 (0)2191 907-141

Email: info@klauke.textron.com

Internet: www.klauke.com



© 2018 Gustav Klauke GmbH. All rights reserved. Subject to technical change without notice. BRHANDSCHNEID18GB 3.000 02/18 I



The new K106 range – for the markets of the future

Our classic tool with considerably more power

Verbindungen mit **System**
The **Power** of Partnership

Klauke®

For cutting cables of the future.


The new K106 ratchet cutter range from Klauke is more powerful and easier to use.

The new K106 range was developed specifically for the new, future-oriented applications in communication and infrastructure, in automation and robotics technology, as well as in the industrial and energy supply sectors.

The improved cutting geometry, new blade guide and the much broader application range offers unprecedented flexibility.

New intelligent systems, the challenges of Industry 4.0 and intelligent Smart Grid networks of the future require increasingly complex hybrid cable designs. This is where the strengths of the new ratchet cutter from Klauke come into their own:

Improved cutting quality with reduced effort. The new blade geometry supports the shearing cut of the moving blade and distributes the force curve. In addition to standard cables, the new K106 range is now about to cut differing combinations of cables (even with shield-braiding) in a simply and professional manner.



Efficient and powerful

 made in Germany




Effortless operations thanks to energy-saving 2-stage ratchet system



Energy-saving due to improved blade geometry



Improved blade guide



Can be personalised: Inscription panel in the handle



Unlocking mechanism for manually opening the shears in all positions

Up to 30 % broader application range.

K 106/1: Suitable for Al and Cu cables to 34 mm dia.



K 106/2: Suitable for Al and Cu cables to 62 mm dia.



*Kevlar®-fiber or Kevlar related fibers can not be cut.